

OCT 02 2006

Appl. No. 10/731,620
Amdt. dated October 2, 2006
Reply to Office Action of June 1, 2006

PATENT**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings of claims in the application:

Listing of Claims:

1. (Currently Amended) A metadata validation system for validating an object model, the system comprising:
 - a client device configured to receive user input and provide a user interface to a user;
 - a database for storing objects corresponding to the object model and metadata [[of]] describing the object model;
 - a configuration management module for creating a deployable collection of objects using the object model; and
 - a validation engine for validating the metadata in the database, wherein said validation engine is configured to perform completeness validation on a validation subject in response to a user entered command to perform validation on the validation subject, to automatically perform correctness validation on a validation subject when the subject is created or updated, and to automatically perform completeness and correctness validation on a validation subject when requested by the configuration management module.
2. (Original) The system of claim 1, wherein a validation subject is an instance of one of an attribute, an association, an object and a collection of objects.
3. (Original) The system of claim 1, wherein a validation subject is a meta metadata object selected from the group consisting of a MetaAttribute, a MetaAssociation, a MetaAssociationEnd, a MetaClass and a MetaCollection.
4. (Original) The system of claim 1, wherein completeness validation includes the application of a completeness validation rule to the validation subject.

Appl. No. 10/731,620
Amdt. dated October 2, 2006
Reply to Office Action of June 1, 2006

PATENT

5. (Original) The system of claim 1, wherein correctness validation includes the application of a correctness validation rule to the validation subject.

6. (Original) The system of claim 1, wherein the validation subject is a deployable collection of objects from the database.

7. (Original) The system of claim 1, wherein the validation subject is an aggregated collection of objects from the database.

8. (Original) A computer-implemented method of validating metadata in an object model, the method comprising:
creating an instance of a meta metadata object in response to user input;
automatically applying one or more correctness type validation rules to the object instance;
if a user selects validation of the object instance, applying one or more completeness validation rules to the object instance; and
automatically applying both the one or more correctness validation rules and the one or more completeness validation rules to the object instance prior to deployment of the object instance.

9. (Original) The method of claim 8, wherein the meta metadata object is one of an attribute, an association, an object and a collection of objects.

10. (Original) The method of claim 8, wherein the meta metadata object is an association and wherein the object instance to which a validation rule is applied includes the two objects associated by the association.

11. (Original) The method of claim 8, further including automatically applying the one or more correctness type validation rules to the instance if the instance is automatically updated or manually updated.

Appl. No. 10/731,620
Amdt. dated October 2, 2006
Reply to Office Action of June 1, 2006

PATENT

12. (Original) The method of claim 11, wherein the meta metadata object is one of an attribute and an object.

13. (Original) The method of claim 8, wherein the meta metadata object is one of an aggregated collection and a deployable collection.

14. (Original) A system for validating metadata in an object model, the system comprising:

a database for storing objects and meta metadata objects of the object model;
means for creating an instance of a meta metadata object in response to user input

and

a validation means for automatically applying one or more correctness type validation rules to the object instance when the instance is created, for applying one or more completeness validation rules to the object instance if a user manually selects validation of the object instance, and for automatically applying both the one or more correctness validation rules and the one or more completeness validation rules to the object instance prior to deployment of the object instance.